




## cleaning and testing of spraying tools



# Your competent partner since 1995

Development and manufacturing of machines

Trading with peripheral devices

Peripheral devices assembly, repair, and service



FIMRO GmbH | Harzblick 1 | D-38895 Halberstadt OT Langenstein

Telefon +49-3941/56929-0 | Fax +49-3941/56929-29

[www.fimro.com](http://www.fimro.com) | [info@fimro.com](mailto:info@fimro.com)

3.0



# Cleaning and testing of spraying tools with the Fimro - SPC series systems

- ▶ Increased process reliability
- ▶ No disassembly of spraying tools
- ▶ Preservation of spray nozzle adjustment
- ▶ Cleaning to remove a wide variety of release agent residues
- ▶ Ideal application of release agent
- ▶ System leak testing
- ▶ Flow rate testing

## SPC series

- ▶ Robust systems made of stainless steel
- ▶ Easy to operate manually or automatically
- ▶ For all spraying tools
- ▶ In-house development and production
- ▶ Production certified according to ISO 9001



## SPC 40-09

Equipped with a flip lid featuring an integrated viewing window, this compact unit provides the optimal solution for small spraying tools.

- ▶ Small spraying tools  
L 800 x W 700 x H 350 mm
- ▶ System pump with 160 l/min
- ▶ Stationary
- ▶ Manual



**SPC 40-09**



## SPC 40-12

For cleaning medium-sized spray tools, these mobile units are equipped with a swiveling hood featuring integrated all-around viewing windows.

- ▶ Medium spraying tools
- L 1.000 x W 1.000 x H 800 mm
- ▶ System pump with 160 l/min
- ▶ Mobile
- ▶ Manual / Semi-automatic / Automatic



**SPC 40-12**

## SPC 40-22

For large and heavy spray tools, this cleaning system is equipped with an integrated linear unit. A lift table significantly simplifies the connection of the spray tools.

- ▶ Large spraying tools  
L 2.500 x W 2.500 x H 1.500 mm
- ▶ System pump with 300 l/min
- ▶ Stationary
- ▶ Manual / Semi-automatic / Automatic



**SPC 40-22**



## SPC 40-30

This cleaning system is designed for very large and heavy spraying equipment. Thanks to the drivability of the station, the spraying equipment can be positioned safely and easily.

- ▶ Very large spraying tools  
L 2.500 x W 2.000 x H 2.500 mm
- ▶ System pump with 300 l/min
- ▶ Stationary
- ▶ Manual / Semi-automatic / Automatic



**SPC 40-30**

# 30 years of experience in servicing temperature control devices

- ▶ Service and Maintenance
- ▶ Safety inspections
- ▶ Measuring equipment testing and calibration
- ▶ spare parts inventory for short response times
- ▶ Devices from all manufacturers
- ▶ Service and testing certified according to ISO 9001



FIMRO GmbH | Harzblick 1 | D-38895 Halberstadt OT Langenstein  
Telefon +49-3941/56929-0 | Fax +49-3941/56929-29  
[www.fimro.com](http://www.fimro.com) | [info@fimro.com](mailto:info@fimro.com)



## Service